Air Live®
Powered by OvisLink Corp.

2011
Product Guide

www.airlive.com

Air Live®
Powered by OvisLink Corp.

Wireless 3G Routers

Air3G

Air3G is a high-powered Internet sharing router with hotspot authentication, and it's compatible to both wired cable and wireless 3G network connection. Perfect for SOHO/CAFÉ/Public transportation.

Air3G II

Airelive 3G II is a wireless router with USB 3G modem port. It ensures uninterrupted internet service by switching available internet service between WAN&3G.

Traveler 3G

Traveler 3G is a portable Internet router that allows you to share the 3G or DSL connection with friends anytime and anywhere. The rechargeable battery enhances portablity and supports up to 2 hours of Internet surfing.



Traveler 3GII

Traveler 3GII is a 3G/3.5G Wireless N Internet sharing router.The ultra compact design and the rechargeable battery enhance the portability and keep you connected anytime anywhere. It's slim, stylish and easy to carry.

Traveler 3GM

Traveler 3GM is a 3G/3.5G Wireless N Internet sharing router with a built-in SIM card slot.The ultra compact design and the rechargeable battery enhance the portability and keep you connected anytime anywhere.

Wired Broadband/ADSL+ Router

ARM-204E

Featuring with 4 LAN ports and auto Internet setup wizard, ARM-204E supports ADSL2/2+ standard to provide higher performance and greater coverage from our ISP DSLAM.

Wireless Broadband Routers

WN-220R

AirLive WN-220R, 11N 150Mbps 1T1R wireless router with 4 plug & play LAN port is the center of your home or office network.

Wireless Broadband Routers

WN-350R

WN-350R is the 2nd generation of Wireless b/g/n 300Mpbs broadband router. It's ideal for sharing the Internet access via cable connection. 4-port LAN, 2R2T data stream, WDS, and multi-game mode.

WN-250R

WN-250R is the 2nd generation of Wireless b/g/n 150Mbps broadband router, which is compatible with 802.11b/g/n device and Turbo-G products. 4-port LAN, 1R1T data stream, WDS, and multi-game mode.

Wireless GIGA Router

GW-300R

GW-300R is one of fascinated platform with 802.11n 300Mbps wireless speed, which supports 10/100/1000 Mbps 4-port LAN and 20k session fast P2P connection.

GW-300NAS

GW-300NAS as GW-300R with 802.11n 300Mbps wireless speed, which supports 10/100/1000 Mbps 4-port LAN and 20k session fast P2P connection, In addition. GW-300NAS strengthen with BT and Emule downloader. (USB port comes with GW-300NAS)

Wireless ADSL2+ Router

WN-300ARM-VPN

With VPN as the security gateway to secure the Internet connection, WN-300ARM-VPN is a high-performance home ADSL, featuring 300Mbps, Wireless N, ADSL 2/2+, and up to 5 VPN tunnels.

WN-151ARM

WN-151ARM is a Wireless N Internet sharing router with high-speed DSL connection. The setup wizard offers auto DSL detection that takes only few minutes to setup the network. Featuring with ADSL2/2+, WPA, Multiple SSID.

WT-2000ARM

WT-2000ARM is one of the most reliable AirLive wired & wireless routers, which supports 125Mbps Turbo-G , 4-port LAN and auto setup wizard. You can just surf and share with ease.

Beam Forming Routers

N450R

Airlive 3T3R N450R- Beam Forming router delivers direction sensing and multi-level with 450Mbps and 11a/b/g/n concurrent dual band technology.

IPv6 Routers

WN-220ARM

WN-220ARM is a wireless N internet sharing router with high speed DSL connection. With IPv6 and Watchdog feature, it guarantees both future proof and high performance.

Wireless Indoor Access Point

A.DUO

The AirLive A.DUO is a concurrent dual band router in a league of its own. It features two wireless radios that can operate in both 5GHz and 2.4GHz at the same time. Both radios are hi-powered to provide 3 times more coverage.

N.Power

Airlive N.Power deliver at up to 2 Watt maximum output power, which mean it cover as much as 20 times more power than a conventional AP. It can solve your coverage issue almost immediately.

WLA-5200AP

WLA-5200AP is a 802.11a/b/g multi-functional wireless access point, and its service extender can be used as 6 wireless operation modes.

G.DUO

G.DUO can work as a router and a PoE access point with 2 wireless g/b radios in one unit. It's ideal for WISP networking solution as a 2-way CPE to reduce the deployment cost, with multiple operation modes for different application environments.

** For Europe Version: Max. Output Power is 20dBm. For more info, please visit: www.airlive.com

Wireless Indoor Access Point

WL-5460AP

Reliable 802.11g multi-function wireless access point, WL-5460AP supports up to 8 operation modes, including AP, Client, Bridge, WDS, Universal Repeater, WISP and Gateway.

WL-5450AP

WL-5450 AP is a 802.11g multi-function wireless access point, which has 26dBm** output power(SouthAmerica) and R-SMA antenna, 8 operation modes.

WL-5470AP

WL-5470AP is a 802.11g high-power multifuncation access point/router, which includes a 2dBi detachable dipole antenna with R-SMA connector, 8 operation modes, and supports up to 27dBm** output power(South Americal) and -96dBm RSSI.

WL-5470POE

WL-5470POE is a 802.11g high-power access point, which includes 8 operation modes, 802.3af power over ethernet, 26dBm** output power, and Telnet Managements(SSH2, HTTP, HTTPS).

N.MINI

N.MINI is a palm-size wireless enabler for the home electronic appliances. Besides, it's a MIMO Wireless-N AP/Router and operates at 300Mbps data transmission rate. 75x54x18 mm

Wireless Repeater

N.PLUG

Airlive N.Plug is a palmed size portable device which combines power adapter and AP. It has designed to easy to share and extend internet like hotel, office, home and traveling application. 85x33x73mm

Air Live®
Powered by OvisLink Corp.

Wireless Outdoor CPE/Access Point

AirMax DUO

The dual radio dual band 108Mbps outdoor access point with 28dBm** output power and AirLive 14-mode firmware, AirMax DUO is suitable for all the dual band mode and perfect for solution for wireless hotspot network.

WHA-5500CPE

WHA-5500CPE is a 802.11a 108Mbps super range outdoor CPE with built-in 18dBi antenna, which can reach the distance of up to 25 KM. It also supports multiple operation modes, super channels, VLAN & Qos, and 802.3af Power over Ethernet.

WHA-5500CPE-NT

WHA-5500CPE-NT is a 802.11a/b/g 108Mbps super range outdoor access point with 23dBi antenna, which can reach the distance of up to 25KM. It also supports multiple operation modes, super channels, VLAN & Qos, and 802.3af Power over Ethernet.

AirMax5

AirMax5 is a 802.11a 108Mbps wireless outdoor CPE featuring with built-in directional 14dBi antenna, weather-proof housing, advanced passive Power over Ethernet, secured management interface, and the capability to control total connection speeds for different subscription fees.

AirMax2

AirMax2 is a 802.11g high-powered** outdoor CPE with built-in directional 10dBi antenna and weather-proof housing. It is able to preform 9 wireless operation modes, airlogic system architecture, and bandwidth management.



WH-5420CPE

The 802.11g high-powered wireless outdoor CPE, WH-5420CPE has built-in 14dBi patch antenna, 8 operations modes, 40dBm** output power, Management (SSH, SSH2, Telnet, HTTP, HTTPS), Wireless Client Isolation.

** For Europe Version: Max. Output Power is 20dBm. For more info, please visit: www.airlive.com

Wireless Adapter

X.USB

Palm-size 802.11a/b/g/n hi-powered ** dual band USB adapter, X.USB can be used as an USB dongle to connect with WiFi network or as an dongle to connect with WiFi network or as anoutdoor AP for WISP and long distance application.



WN-301USB

WN-301USB is a 802.11b/g/n USB dongle with software AP function, which can turn a wireless client into a wireless access point. It features with USB 2.0 and up to 300Mbps transmission speed and supports Windows 7/Vista/XP.

WN-200USB

The 802.11b/g/n USB dongle, WN-200USB is fully compatible with Turbo-G, featuring with USB 2.0 Interface and universal plug and play via 150Mbps transmission speed and 1TIR data stream. Support WPA2 encryption.

WN-250USB

802.11b/g/n mini USB dongle with soft-AP function, WN-250USB has installed with USB 2.0 Interface, which allows you to plug & play via 150Mbps transmission speed, and it supports WPA2, Windows/Mac OSX.

WL-1600USB

AirLive 1600 USB is a long range 802.11b/g USB Adapter with detachable antenna. It is designed to allow your PC to reach the longest distance possible.

WL-1700USB

AirLive 1700 USB is a long range 802.11b/g USB 300Mbps USB Adapter with detachable antenna. It is designed to allow your PC to reach the longest distance possible. It supports advanced 1x 2 MIMO Technology.

Wireless Adapter

BT-302USB

Bluetooth 3.0 Mini USB dongle that can reach up to 30 meters with 3Mbps of transmission speed and support Windows/Mac OSX and A2DP Stereo.

WN-300PCI

802.11b/g/n high speed PCI card with full compatitbility with Turbo-G network, wn-300PCI features with 2T2R data stream and up to 300Mbps transmission speed, and supports WEP/WPA/WPA2 encryption.

WN-200PCI

802.11b/g/n fast transfer PCI card with full compatitbility with Turbo-G network, WN-200PCI carries 1T1R data stream and up to 150Mbps transmission speed, and it also supports WEP/WPA/WPA2 encryption.

WT-2000PCI

Turbo-G PCI adapter with up to 125Mbps data transmission speed, WT-2000PCI is ompatible with 802.11b/g standard, and makes your PC run at up to 2X speed as a 802.11g devices. Support 802.11e WMM(WiFi Multimedia).

SNMP Managed Switches

SNMP-24MGB

Gitabit L2+ SNMP Managed Switch with 16 Gibgabit SFP ports + 8 Combo Gigabit TP/SFP ports, SNMP-24MGB contains managements and advanced funcationalities. It is the ideal solution for Metro and SMB application.

SNMP-GSH2404L

24+4 Gigabit Lite SNMP Managed Switch contains managements and advanced funcationalities. It is the ideal solution for Metro and SMB application.

Web Managed Switches

Ether-GSH2404W

24-port 10/100/1000 Base-T Web Managed Switch with 4 combo ports (includes port 21~24), Ether-GSH2404W supports 8000 MAC addresses, which is the most cost effective Gigabit solution as an aggregation device.

Ether-FSH2422W

24 + 2 port Mixed Gigabit Web Management Switch, Ether-FSH2422W is ideal for improving the unmanaged networks to the basic managed networks.

PoE Switches

POE-FSH1608

16-port Fast Ethernet Switch with 8 port PoE, POE-FSH1608 supports up to 15.4W per each PoE port, Total Maximun is 120W.

POE-FSH804

8-port Fast Ethernet POE Switch, POE-FSH804 provides mazimum 15.4W per port. Total power consumption up to 60W.

Unmanaged Switches

Ether-GSH2404

24 X 10/100/1000Mbps + 4 Mini-GBIC(Combo ports: 21~24), Ether-GSH2404 is suitable for the Enterprise, Campus, Internet Café and FTTB/FTTH Solution.

Ether-FSH2402NT

24x10/100 Mbps Fast Ethernet Port + 2 10/100/1000 Gigabit port, Ether-FSH2402NT is the best design for office network.

Ether-FSH24

Green 24-port Fast Ethernet Switch with 10.5 inch, Ether-FSH24 is designed for SMB Solution. Reduce power usage and clients' expense.

SOHO Switches

Live-8F

Green(power saving) Mini Compact 8-port Fast Ethernet Switch supports up to 1K MAC addresses and 768 bits buffer. Best choice for home and SOHO.

Live-5F

Green(power saving) Mini Compact 5-port Fast Ethernet Switch supports up to 2K MAC addresses and 384 bits buffer. Best choice for home and SOHO.

Live-8G

Mini Compact 8-port Giga Ethernet Switch with 8K MAC address, 144Kbytes buffer memory, and 9K Byte Jumbo frame. Best choice for Home and SOHO.

Live-5G

Mini Compact 5-port Giga Ethernet Switch supports up to 1K MAC addresses and 832 bits buffer. Best choice for home and SOHO.

Security Gateway & Internet Access Gateway

WIAS-3200N

WIAS-3200N is the Wireless Hotspot Gateway, which supports multiple billing & payment methods, instant account generation for up to 500 users, wireless layer-2 firewall for high security Internet service. It's ideal for Hotel, B&B, Internet Café, and Restaurant environments.

DS-100

Signal bridge between RJ-45 and RS-232

PRP-058

POS Printer

*Recommended Accessories for WIAS-3200N

Wireless Print Server

WFP-151U

WFP-151U is a wireless N multi-function print server that shares the services of a LAN-port connected printer to a wireless network environment, where all users who have the network access can use the printer. 150Mbps of transmission speed wirelessly.

MFP-101U

MFP-101U is a wireless multi-function printer server with the features of sharing your multi-function printer services at 54Mbps transmission speed wirelessly. Virtual USB port/Auto release function/print server function.

Wired Print Server

P-201

1-Port parallel print server, P-201 supports both peer-to-peer and server-based printing with UPnP and installation wizard. Ideal for home and office environment.

P-201U

1-Port USB 2.0 print server, P-201U supports both peer-to-peer and server-based printing with UPnP and installation wizard. Ideal for home and office environment.

PoE Accessories

POE-100AF

Complete PoE Kits for Your Network Devices

POE-48PB

802.3af PoE Splitter with Switchable Output

POE-1P

Passive PoE Injector

POE-48TU

802.3af PoE Splitter with Switchable Output

POE-2P

Passive PoE Kit

Wired IPCam Surveillance VGA

POE-100CAMv2

High-performance indoor PoE IP camera, POE-100CAM provides outstanding 2-way audio to enhance the indoor surveillence environment, including communication, monitoring and rescue methods.

POE-200CAMv2

High-performance indoor Dome PoE IP camera, POE-200CAM provides outstanding 2-way audio to enrich the indoor surveillence environment, including communication, monitoring and rescue methods.

Wired IPCam Surveillance VGA

IP-150CAM

IP-150CAM is an advanced VGA IP camara with 30FPS. It supports 10/100Mbps and 2.5/3G mobile phone live viewing

POE-260CAM

POE-260CAM is a PoE IP camera, featuring with Pan-Tilt, night vision, motorized movement and HTTPS encryption to enhance the Internet security. And 2-way audio can enrich the indoor surveillence environment.

Wired IPCam Surveillance 1.3MP

POE-100HD

POE-100HD is the H.264 PoE IP camera featuring with 1.3MegaPixel CMOS lens and auto Iris. It supports, 2-way audio, 2.5/3G/3.5G mobile phone live viewing It's ideal for monintoring the indoor environment. With special self-assembly housing, it's suitable for outdoor condition.

POE-200HD

Featuring with multiple H.264, motion JPEG and MPEG-4 video streams, POE-200HD is a dome size PoE IP camera. It supports, 2-way audio, 2.5/3G/3.5G mobile phone live viewing. It's ideal for the environments, such as offices, hallways, elevators and shopping malls.

POE-250HD

Featuring with vandal resistant, POE-250HD IP camera works perfectly for both indoor environments, where are hiigly sensitive, such as banks, airports, casinos and ATMs, and outdoor open space, such like seaports and cargo loading areas.

OD-325HD

OD-325HD is the professional outdoor IP camera with the IR night vision function to reach up to 25m. It is desinged for outdoor, featuring with IP66 weatherproof housing,includes roof casting, robust design, soak-resistant. Ideal for parking lots, warehouses, and streets monitoring.

OD-600HD

H.264 PTZ vandal proof dome, OD-600HD is suitable for covering a large space including parking lots, warehouses, seaports, airports, and streets. Other features include video streaming, audio detection, power over ethernet, IP65 weatherproof and vandalproof housing.

Air Live®
Powered by OvisLink Corp.

Wired IPCam Surveillance 2.0MP

POE-2600HD Onvif

POE-2600HD is the world smallest 802.3af PoE H.264 2.0 Megapixel PTZ IP camera with full HD video stream recording at 30fps, IR night 15M, 2.5G/3G mobile live viewing, Micro SD card and 2 ways audio. It's ideal for parking lots, warehouse, seaport and airport. 86x81x97mm

IP-200PHD

Airlive IP-200PHD camera adopts a 2-Mega pixel and High performance CMOS sensor with H.264 video codec that can produce clear and detailed image with build in micro SD.

POE-2010HD Onvif

POE-2010HD is the H.264 PoE IP camera featuring with 2.0 MegaPixel CMOS lens and auto Iris. It supports, 2-way audio, 2.5/3G/3.5G mobile phone live viewing It's ideal for monintoring the indoor environment. With special self-assembly housing, it's suitable for outdoor condition.

POE-2020HD Onvif

Featuring with vandal resistant, POE-2020HD IP camera works perfectly for both indoor environments, where are hiigly sensitive, such as banks, airports, casinos and ATMs, and outdoor open space, such like seaports and cargo loading areas.

OD-2035HD Onvif

OD-2035HD is the professional outdoor IP camera with the IR night vision function to reach up to 35m. It is desinged for outdoor, featuring with roof casting, robust design, soak-resistant. Ideal for parking lots, warehouses, and streets monitoring.

OD-2025HD/OD-2025PHD Onvif

OD-2025HD/OD-2025PHD (802.3af/12V Passive PoE) is a 2M outdoor 30fps IR IP Camera. Light weight aluminum outfit with bottomless IR(25 Meters)

Onvif

OD-2050HD/2060HD/2060PHD

Featuring with vandal resistant, OD2050(2.7~9mm,802.3af)/OD2060HD(PTZ, 4mm,802.3af)/OD2060PHD(PTZ,4mm,12V Passive PoE) IP camera works perfectly for indoor : banks, airports, casinos, and ATMs; outdoor: seaports, cargo loading areas

Wireless IPCam Surveillance 2.0MP

WN-2600HD

WN-2600HD is the world smallest Wireless N H.264 2.0 Megapixel PTZ IP camera with full HD video streaming recording at 30fps, IR night 15M, 2.5G/3G mobile live viewing, Micro SD card, 2 ways audio and 150Mbps wireless transmission rate. 86x81x97mm

WN-200HD

WN-200HD is the H.264 Passive POE IP camera featuring with 2.0 MegaPixel CMOS lens. It supports, 2-way audio, 2.5/3G/3.5G mobile phone live viewing It's ideal for monintoring the indoor environment. With special self-assembly housing, it's suitable for outdoor condition.

Wireless IPCam Surveillance 1.3MP

WL-350HD

H.264,wireless IP camera, WL-350HD features with auto light sensor, 1.3MegaPixel progressive scan CMOS, and supports 2-way audio, versatile application, Windows Live messenger, live veiwing from mobile phone. The ultra-compact design makes it ideal for home environment.

Wireless IPCam Surveillance VGA



WN-150CAM

WN-150CAM is an advanced VGA IP camara with 30FPS. It supports 802.11b/g/n, 150Mbps and 2.5/3G mobile phone live viewing

WL-2000CAM

WL-2000CAM is a wireless IP camera, featuring with auto light sensor, UPnP, 6 high illumination LEDs, HTTPS encryption and 2-way audio. It also supports live viewing from 2.5G/3G/3.5G mobile phone to enhance the mobility of surveillence.

WL-2600CAM

Wireless Pan-Tilt night vision IP camera, WL-2600CAM supports night mode recording, live viewing from 2.5G/3G/3.5G mobile phone, 802.11g wireless data transfer. Other features include infrared LEDs, UPnP, dual motion streaming.

Multimedia & Networking Storage

NVR4

NVR4 is a network video recorder and a data storage that supports up to 4 IP-based with H.264 video compression and keeps video clips for more than 200 hours. This is the clips for more than 200 hours. This is the most cost-effective solution for protecting your home and property.

NVR8

NVR8 supports up to 8 IP-based cameras and no need of a computer to operate. Installed with GIGA LAN port and SATAII to let the recording be fast transferred and well stored. Ideal for home, office and small business.

NVR16

NVR16 supports up to 16 IP-based cameras no need of a computer to operate. Installed with GIGA LAN port, SATAII, and H.264 compression format to let the recording be fast transferred and well stored. The live e-map makes it easier to locate every camera.

Surveillance Software Support

CamPro Express 64

Professional network camera surveillance management software. Supports up to 64 IP cameras and 4 screen display. Drag & Play UI design enhances the IP cameras management experience.

*CamPro Express 64 is a free surveillance mangement software that comes free with AirLive IP Cameras.

Surveillance Software Support

CamPro HD (64 channels)

Add on more professional function for surveillance management software; Smart search, multiple monitor and HD high resolution.

Multimedia & Networking Storage

AirMedia-350

AirMedia-350 is a high definition multimedia player with internal hard disk drive slot. You can easily play the videos, photos, and music from PC to TV. Via external USBs or memory cards, it's convenient to share, plug and play.

HP-3000E

200Mbps Powerline Ethernet Adapter, HP-3000E is ideal for connecting an Ethernet enabled digital media device such as a home multimedia device to your network and the Internet.

*Recommended Accessory for AirMedia-350

AirVideo-2000

802.11g wireless video presenter, AirVideo-2000 features with real time Audio/Video streaming to let you play back video on the projectors smoothly at speed of 60 frames per second. Ideal for conference and meeting service in hotel, or college classroom.

NAS235

NAS235, a network-attached storage, provides low cost Gigabytes storage space, easier management, and solid data transfer performance for multiple client connections.

Air Live®
Powered by OvisLink Corp.

OvisLink Corp.

5F, No.96, Min-Chuan Rd., Hsin-Tien, New Taipei City
231 , TAIWAN

Email: info@airlive.com

www.airlive.com